



## ➤ this is **asphalt?**

### What's inside:

- potential to **transform**
- asphalt is **sustainable**
- coatings **preserve & protect**
- premium coating **characteristics**
- StreetBond: best-in-class **products**
- Quest: innovative & **experienced**



**StreetBond™**  
Coating Systems for Asphalt



# this is asphalt?

extend pavement  
**life**



Bentley University  
Waltham, MA

transform with  
**color**



Intersection & Crosswalks  
Padova, Italy

revitalize and  
**rejuvenate**



Elementary School Playground  
San Pablo, CA

# potential to transform

StreetBond **is for** ⓘ

- parking lots
- community areas
- schools / playgrounds
- crosswalks / sidewalks
- decorative streetscapes
- cycle lanes / bus lanes
- pedestrian areas
- parks / plazas
- sport courts
- driveways
- entryways
- medians
- roads
- traffic calming

## Transformational properties - what can StreetBond **do**?

- change the look & feel of a community with a coat of color
- keep cyclists safe by visually alerting drivers to the presence of a cycle lane
- enhance the open area or entrance of a campus, civic center, or park
- transform a driveway
- create a more welcoming store entrance





# why choose asphalt?

monolithic  
sustainable  
cost effective



## asphalt is **cost effective**

Asphalt is a flexible pavement material that conforms to base irregularities and can be applied thinner than concrete, saving material cost.

Additionally, asphalt doesn't require forming, is fast to install, and easy to maintain.

## asphalt is better than traditional decorative pavers

Pavers have limited style options and are expensive to buy, install and maintain.

**heaving**  
because of  
freeze/thaw and  
expansion/  
contraction,  
corners can create  
trip hazards



**cracking**  
concrete and  
large slabs of  
stone will crack  
because they lack  
the flexibility that  
asphalt has




**growth**  
asphalt's seamless  
surface does not  
support biological  
growth that can  
compromise  
a pavement's  
integrity



# asphalt is sustainable

**95%** of reclaimed asphalt is recycled or reused. Asphalt pavements are America's most recycled product.<sup>1</sup>




## asphalt is **monolithic**

Asphalt is a flexible pavement material that can be placed as a continuous, monolithic surface without the expansion joints common with concrete or the joints associated with placing multiple units in a paver system.

Since it is a continuous unit, asphalt surfaces reduce trip hazards that can result from shifting pavers or concrete resulting from freeze/thaw cycles, base movement, or shear forces from vehicles turning, braking, or accelerating.

The seamless surface also minimizes the risk of base damage from water intrusion and does not support biological growth that can compromise the pavement's integrity.

## LOW Carbon Footprint



## asphalt is **sustainable**

Asphalt is 100% recyclable and is recycled for its own use.

"Currently in North America, at least 95 percent of the asphalt pavement removed from the road is either reused in new asphalt pavements or recycled as base or shoulder material."

Asphalt has a lower carbon footprint than concrete; "the asphalt pavement options only produce about 30% of the greenhouse gas emissions of comparable concrete pavements."

<sup>1</sup> 2010 Asphalt Pavement Alliance white paper, entitled: *Carbon Footprint: How Does Asphalt Stack Up?*






# why apply a coating?

protects  
cools  
beautifies



## coatings preserve & protect



### ⓘ Bonded asphalt is better

Bonded asphalt is conventional asphalt with a renewable high quality coating top layer that reinforces the surface, binding the aggregate fines, resisting water penetration and protecting the asphalt from the effects of UV degradation and chemicals.

Bonded asphalt can also provide solar reflectivity to cool the surface; it has a longer useful life than conventional asphalt, thereby reducing life cycle cost.

### ⓘ StreetBond protects

StreetBond protects asphalt from:

- UV damage
- Water damage
- Chemical damage
- Loss of aggregate

UV and water exposure cause asphalt to prematurely age, causing a loss in flexibility and resulting in cracking and raveling (loss of aggregates). Cracked asphalt exposes the base to water, which can result in structural failure.

## solar reflective pavement

### ⓘ StreetBond beautifies

Adding color and design to paved surfaces improves the aesthetics of urban environments. The project shown to the right was initiated by the NYC Transportation Commission and the Times Square Alliance to make the area more pedestrian friendly. To convert asphalt streets into pedestrian areas, they simply changed the color of the surface and added a design using StreetBond150.



Times Square, New York City



ML King Elementary School, Richmond CA



(Above and Far Left) Research In Motion, the makers of Blackberry cell phones, converted their parking lot to cool pavement that qualified for LEED points using StreetBond with SR Slate Colorant. StreetBond SR Slate uses special technology to provide solar reflectivity even though it is a darker Slate color.

### ⓘ StreetBond cools

Extreme heat is currently the leading cause of weather-related deaths in the United States. According to the Arizona Department of Health Services, a 5°F (2.7°C) reduction in the ambient temperature can result in a 14°F to 23°F (8-13°C) reduction in the heat index (depending on humidity levels).

Asphalt surfaces coated with a solar reflective coating are significantly cooler. StreetBond with a SR (solar reflective) Colorant keeps asphalt cool, delaying the aging and degradation process and creating a safer, more comfortable environment.

### Urban Heat Island Effect

Urban heat islands are urban areas where the temperature is higher than the surrounding rural areas. Why? Typical dark colored pavements and rooftops absorb more heat than they emit during the day. The increased energy requirement and cost for air conditioning is directly proportional to the temperature difference between the building's interior and the outside.

# 33%

33% of an energy bill can be saved if the external temperature can be reduced by 10°F (6°C).




# coating characteristics

## why does StreetBond fit in your environment?

- environmentally friendly
- solar reflective
- skid resistant
- renews & repairs



StreetBond is environmentally friendly



With an SRI value of 29+, the coated asphalt parking lot produces less CO<sub>2</sub> and typically costs 25% less than concrete to install.



An existing asphalt parking lot was revitalized at Bucket Head Tavern in Knoxville, TN.

Worker friendly



StreetBond uses water-based technology that is safe and easy for workers doing the application and requires no special safety gear.

Ecologically friendly



As water-based acrylics, StreetBond products have very low VOC levels, which are safer for the environment than solvent-based coatings or coatings that require solvents for cleanup.

Neighborhood friendly



Producing no foul odors, no toxic residue and creating minimal neighborhood disruption.

**StreetBond is solar reflective**

StreetBond coatings combined with SR (solar reflective) Colorants reduce the temperature of asphalt surfaces. With cooler hardscape surfaces, surrounding buildings typically see lower air conditioning costs and improved air quality.

In addition to providing more comfortable urban environments, keeping the asphalt cooler extends the life of the asphalt itself and reduces the possibility of rutting or raveling.

**StreetBond is skid-resistant**

Unlike some coatings that rely on polishing for their durability, StreetBond incorporates carefully selected aggregates to provide superior slip and skid resistance, both initially and over time, making StreetBond coated surfaces safer for foot and vehicle traffic. StreetBond is also fully compliant with the Americans with Disabilities Act (ADA).

(above) a "locked-wheel test" in progress, testing friction coefficients for products to be used in roadways.


**StreetBond renews & repairs**

StreetBond is designed with renewability in mind. StreetBond can be applied to new asphalt, or can be used to renew existing asphalt areas.

StreetBond uses acrylic-based technology which has excellent self-adhesion properties, meaning that it can be reapplied to renew and refresh the surface and re-establish the protective weather barrier.

**SRI**  
≥ 29

**StreetBondSR**  
can contribute to  
LEED® credits



LEED® is a rating program developed by the United States Green Building Council (USGBC)



# coating characteristics


## what makes StreetBond last?

- ☐ durable
- ☐ color stable
- ☐ flexible
- ☐ renewable

**proven durability**  
on Beale Street in  
Memphis, TN

Beale Street in Memphis, TN was coated in StreetBond150's Burnt Sienna ten years ago. The original asphalt was still in great condition as seen on the left side of the road, and simply needed a recoat in 2011, as seen on the right.

StreetBond protected the street and the only maintenance was to recoat. The acrylic properties of StreetBond allow it to bind to itself easily.



**StreetBond is durable**



☐ StreetBond is **color stable**

StreetBond's advanced acrylic polymer technology provides superior color stability compared with other technologies such as epoxies. Acrylics are non-yellowing and have good self-cleaning characteristics.

StreetBond uses the highest quality pigments to inhibit fading caused by the sun's Ultraviolet rays. Cheaper organic pigments can provide acceptable initial color, but may fade resulting in color change and loss of vibrancy.



☐ StreetBond is **flexible**

Unlike many coatings, especially coatings that derive their durability from hardness, StreetBond is designed to conform to the normal expansion and contraction of asphalt surfaces and will not peel, delaminate, shrink, or crack. Harder, less flexible coatings that crack are both unsightly and may accelerate asphalt damage.



☐ StreetBond is **renewable**

StreetBond is designed with renewability in mind. Acrylic-based products are breathable, which inhibits delamination and helps the coating retain excellent adhesion. As a result, wear happens from the top-down, keeping the base layer in-tact.

Combined with excellent self-adhesion properties, StreetBond can be reapplied to renew and refresh the surface and re-establish the protective weather barrier.

**Wear**  
resistant

**Chemical**  
resistant

Performance  
achieved  
through **layers**



StreetBond after 12 years in Padua Via Dupre, Italy

Premium StreetBond coatings are built from an epoxy-modified acrylic formula that is specifically designed to meet traffic demands, even in wet conditions, by limiting the softening effect that water has on traditional water-based coatings.



MEK immersion test (L) typical coating dissolved; (R) StreetBond remains intact

StreetBond coatings are resistant to damage and deterioration when exposed to fuel, engine oil and deicing agents.



Long-term, durable performance is achieved through layers; where extra durability is required, additional layers of StreetBond can be applied.

our products

premium coatings  
parking lot protection  
substrate preparation



best-in-class products

Coating

Selection Guide

Purpose	Application	Asphalt Substrate	Concrete Substrate
Protective Coating	Vehicular & Pedestrian	StreetBond150	StreetBond150
	Heavier Vehicular Traffic	StreetBond Premium System	StreetBond Premium System
	Pedestrian & Light Vehicular Traffic	StreetBond120	StreetBond120
	Asphalt Preservation & Protection	DuraShield	.
	Cycle Lanes	StreetBondCL	StreetBondCL
Substrate Preparation	Polished stone	Adhesion Promoter Concentrate	Adhesion Promoter Concentrate
	New Concrete	.	Concrete Primer WB Concrete Primer QS

What is the StreetBond Premium System?

The StreetBond Premium System is composed of several layers of coating; each layer contributing to the overall performance of the System.

Premium System:

StreetBond150

StreetBond150

FrictionCoat layer

StreetBond150

asphalt surface

(above) Completed Premium System applied to an imprinted asphalt surface

DuraShield:

revolutionary parking lot protection

Designed to enhance the appearance of asphalt surfaces and to protect the asphalt from degradation due to oxidation from exposure to UV rays and water, DuraShield also covers minor surface cracks and imperfections.

DuraShield contains 100% acrylic polymer as opposed to traditional seal coat products, which are mostly coal-tar emulsions. Therefore, the wear properties of DuraShield are far superior to traditional asphalt emulsion seal coat products.

DuraShield resists wear yet remains flexible to move with an asphalt substrate without cracking.

DuraShield can be combined with StreetBond150 to provide a comprehensive parking lot solution that satisfies the variety of performance requirements found in parking lots.

Before

After



## why choose Quest?



support  
certifications  
warranties



### Quest's technology leadership

**HYDROSTOP**

**StreetBond**

**UNITED COATINGS**

Quest technology and experience is broad, reaching beyond a narrow focus on one particular industry or application. Our expertise and the lessons we learn in the lab are shared across brands, resulting in products, primers, and innovation you won't get from a company that **only** deals with asphalt coatings.

### Quest's support team

Quest's support doesn't end when you're awarded the job. With over 60 sales and technical staff members nationwide, Quest is one of the only companies in the industry that offers in-field support.

In addition, we offer international technical support. We have technical representatives located worldwide to help on the job site and to provide hands-on training.

## only warranty of its kind

### Quest is guaranteed

We stand behind our products and ensure they are of the highest quality. When applied by Accredited StreetBond Applicators (ASA), we offer a performance warranty on select products and applications; **the only warranty of its kind in our industry.**

Quest Construction Products (QCP) is a part of Quest Specialty Chemicals, Inc., a large, financially stable company with a diverse portfolio of advanced products. QCP will always stand behind its products, its people, and its warranties. With multiple manufacturing plants located across the country, you can expect quick order fulfillment and a reliable supply.



### quest-cp.com is a powerful tool

Online you will find an interactive map of our network of Accredited Applicators, Representatives and Distributors.

We also offer case studies to provide real life examples of companies and communities that have used StreetBond with success.

We publish all of our technical data sheets, specifications, MSDS and marketing materials online in downloadable PDF format.



### Quest is certified

**ISO  
certified  
manufacturing**

ISO 9001:2008  
ISO 14001:2004

ISO standards are *internationally* recognized quality management systems with the basic philosophy of providing a consistent product while monitoring its performance and striving for continual improvement.

QCP is one of the few manufacturers in our industry to possess **both** ISO 9001 and 14001 certifications.



# parking lot solutions

right product, right place

## StreetBond150

- High performance coating for flat or imprinted asphalt surfaces
- Long lasting and durable
- Renewable; can be recoated



## StreetBond Premium System

- Added friction aggregates for high vehicular traffic areas
- Layer-based system designed to perform under extreme wear conditions



## DuraShield

- Economically-priced
- Repairs imperfections in existing asphalt
- Environmentally-friendly alternative to coal tar-based asphalt emulsions



**StreetBond™**  
a Quest Construction Products brand

PHOENIX  
2810 South 18th Place  
Phoenix, AZ 85034  
800-541-4383 (p)  
480-754-8939 (f)

CHARLESTON  
1465 Pipefitter Street  
Charleston, SC 29405  
800-739-5566 (p)  
843-745-9602 (f)

[www.streetbond.com](http://www.streetbond.com)



/streetbond



/QCPstreetbond